TEST REPORT

Applicant's name: Henan Gyroscope Information Technology Co., Ltd

Address: No.01, Floor 21, Unit 2, Building 1, Tengfei Road, Guancheng Hui District, Zhengzhou City, Henan Province

Manufacturer: Chenjia Wooden Tableware Processing Factory, Jiaowei Town, Xianyou County

Address: No. 48, Xincuo, Rancuo Village, Jiaowei Town, Xianyou County, Putian City, Fujian Province, China

The following samples were submitted and identified on behalf of the clients as:

Test item description: Wood Kitchen Utensil Set

Trademark(s): BOKALAKA

Model/Type reference: 9pcs / 6pcs / 8pcs/10pcs/12pcs/7pcs set

Sample received date: Jun.24, 2026

Testing period: Jun. 24, 2026 to Jul. 01, 2026

Test Method: Please refer to next page(s).

Test Result: Please refer to next page(s).

****

Tested By:	Check By:	Approve By:
Sophia Wang	Mason Shi	Dengdeng Zhu

Date:Jul. 01, 2026

Result Summary :

Test Requested	Conclusion
FDA food Contact Article test: in accordance with: FDA 21 CFR 175.300	**PASS**
FDA food Contact Article test: in accordance with: FDA 21 CFR 178.3800	**PASS**

Sample Description:

No.	Description	Materials	Photos
1	Wooden substrate	Wooden	
2	Transparent clear oil layer	Coating	

Note: test samples were specified by applicant.

Test Result(s):

1.FDA food Contact Article test: in accordance with: FDA 21 CFR 175.300

Test condition:

1. Water: Fill with boiling water and then cool down to 100deg
2. Heptane: 120 deg. F, 15 min
3. 8% alcohol: 150 deg. F, 2 hours

Test item	Limit (mg/in^2)	MDL (mg/in^2)	Results (mg/in^2)
			2
Chloroform-soluble extractive - Water	18	1	N.D
Chloroform-soluble extractive - Heptane	18	1	N.D
Chloroform-soluble extractive - 8% alcohol	18	1	N.D
Conclusion	**--**	**--**	**PASS**

Note:

1. mg/in^2 = milligram per square inch
2. N.D = Not detected (less than MDL)
3. MDL = Method detection limit

2. FDA food Contact Article test: in accordance with: 21 CFR 178.3800

Test Method: Ref. 21 CFR 178.3800

Test Item(s)	Limit (mg/kg)	MDL (mg/kg)	Test Result (mg/kg)
			1
Pentachlorophenol (PCP)	50	10	N.D
Conclusion	--	--	**PASS**

Note:

1. mg/kg=milligram per kilogram
2. MDL=Method Detection Limit
3. ND=Not Detected(less than MDL)

Photo documentation

















*** End of Report ***

Note: If there is any objection to the inspection results in this report, please submit a written report to the company within 15 days from the date of receiving the report. The test report is effective only with both signature and specialized stamp. This result(s) shown in this report refer only to the sample(s) tested. The tested sample(s) and the sample information are provided by the applicant. The authenticity, accuracy, and completeness of the provided information are the sole responsibility of the applicant. Without written approval of Shenzhen CTB Testing Technology Co., Ltd. this report can't be reproduced except in full. The result decision rules of our laboratory are based solely on the direct comparison between the actual measured values of test results and the standard limits, without considering the measurement uncertainty."★" indicates the testing items were fulfilled by subcontracted lab. "※" indicates the items are not in CNAS accreditation scope.